

LISTING OF CLAIMS

1. (cancelled)
2. (cancelled)
3. (cancelled)
4. (cancelled)
5. (cancelled)
6. (cancelled)
7. (cancelled)
8. (cancelled)
9. (cancelled)
10. (previously presented) A method of treating bacteria, fungi, and/or viruses on the surface of, or within, the layers of the dermis of skin, ears, fingernails, toenails, or hoofs of mammalian species, comprising: applying to said surface or layers a pharmaceutical substance including an effective amount of pirfenidone.
11. (cancelled)
12. (cancelled)

13. (cancelled)

14. (cancelled)

15. (cancelled)

16. (original) A method, as defined in Claim 10, further comprising: providing said pharmaceutical substance with the following composition, in weight percent:

Pirfenidone (USAN) Powder	5.0
Propylene Glycol 400 USP	23.5
Sterile Distilled Water	30.5
Stearyl Alcohol USP	20.5
White Petrolatum USP	20.5
<hr/>	
TOTAL:	100.0

17. (original) A method, as defined in Claim 10, further comprising: providing said pharmaceutical substance with the following composition, in weight percent:

Pirfenidone (USAN) Powder	10.0
Propylene Glycol 400 USP	14.3
Sterile Distilled Water	41.7
Stearyl Alcohol USP	17.0
White Petrolatum USP	<u>17.0</u>
TOTAL:	100.0

AMENDMENT
Inventor: Solomon B. Margolin

PATENT
183-109(US)

18. (original) A method, as defined in Claim 10, further comprising: providing said pharmaceutical substance with the following composition, in weight percent:

Pirfenidone (USAN) Powder	50 gms
Stearic Acid USP	30 gms
Emplilan SE 40	30 gms
Isopropyl Myristate	30 gms
Mineral Oil	115 gms
Stearyl Alcohol USP	5 gms
Propylene Glycol 400 USP	50 gms
Sterile Distilled Water	<u>690 ml (690 gms)</u>
	TOTAL: 1000 gms